

Test Report 測試報告

Applicant 申請廠商: Sharkoon Technologies GmbH
Siemensstrasse 38,
35440 Linden, Germany.

Number : TWNC00630388
報告號碼

Date 日期 : Sep 07, 2017

Sample Description 樣品敘述:

One (1) group of submitted samples said to be :

以下測試樣品乃供應商所提供及確認 :

Sample Description : SHARKOON SHARK FORCE PRO

樣品名稱

Date Sample Received : Aug 24, 2017 / Sep 01, 2017

收件日期

Date Test Started : Aug 24, 2017 / Sep 01, 2017

開始測試日期

Test Conducted 測試執行:

As requested by the applicant, for details please refer to attached pages.

依申請商之要求, 細節請參考附頁.

Conclusion 結論:

Please see page two.

請參考第二頁.

Authorized by:

On Behalf of Intertek Testing Services

Taiwan Limited



Matt Wang
Sr. Manager



Test Report 測試報告

Number : TWNC00630388
報告號碼

Conclusion:
結論

Tested Samples

測試樣品

Screening components of submitted samples

測試部位

Standard

標準

With reference to test method of IEC 62321 edition 1.0:2013 part 3-1, screening by XRF spectroscopy and chemical confirmation test for RoHS Directive (2011/65/EU)

依據危害物質限制指令 RoHS Directive (2011/65/EU), 參考測試方法 IEC 62321 版本 1.0:2013 part 3-1, 以 X 射線螢光光譜法作篩檢測試及進行化學確認測試

Result

結果

Pass
合格

Remark:

備註

As requested by the applicant, only components shown in this report were screened by XRF spectroscopy for 2011/65/EU. Other components were not screened in this report.


依據客戶要求, 只有表列於報告中的部位有依照 2011/65/EU 以 X 射線螢光光譜法作篩檢測試, 此報告中其他部位未被篩檢。

Chemical confirmation tests were conducted to verify the inconclusive results of XRF tests.

為查證 XRF 測試中的不確定結果, 已進行化學確認測試。

Authorized by:

On Behalf of Intertek Testing Services
Taiwan Limited



Matt Wang
Sr. Manager



Page 2 of 17



Test Conducted 測試內容 :

XRF Screening Test

X 射線螢光光譜法篩檢測試

Contents of cadmium (Cd), lead (Pb), mercury (Hg), chromium (Cr) and bromine (Br) were measured by XRF spectroscopy. The further wet chemical tests will be conducted if necessary.

以 X 射線螢光光譜法進行鎘(Cd), 鉛(Pb), 汞(Hg), 鉻(Cr)與溴(Br) 的含量篩檢測試，必要時會以化學測試進行確認。

Test Result Summary 測試結果:

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
1	Green plastic ornament cover	Cd	ND	--	--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND			
		Br	ND		--	
2	White plastic ornament cover	Cd	ND	--	--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND			
		Br	ND		--	
3	Black plastic top cover	Cd	ND	--	--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND			
		Br	ND		--	
4	Black plastic housing	Cd	ND	--	--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND			
		Br	921			
					PBBs: ND	
					PBDEs: ND	
5	Black plastic button	Cd	ND	--	--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND			
		Br	ND		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
6	Wheel - black rubber tire	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
7	Wheel - black plastic wheel	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
8	Silvery metal washer head screw	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	NA		--	
9	Black plastic pad	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
10	Semi-white plastic bottom	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
11	Black plastic bottom	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
12	Silvery metal round head screw	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	222	--		
		Br	NA		--	
13	Silvery metal flat head screw	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	NA		--	
14	Black fabric tape	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	172	--		
		Br	ND		--	
15	Transparent plastic cover	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
16	Capacitor - black/white plastic sleeve	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
17	Capacitor - silvery metal can	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	NA		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
18	Capacitor - black rubber seal	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
19	Switch - silvery metal frame	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	NA		--	
20	Switch - grey plastic socket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
21	Switch - black plastic gear	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
22	Switch - silvery metal pin	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	NA		--	
23	Switch - red plastic button	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
24	Switch - black plastic housing	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
25	Switch - grey plastic base	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
26	Switch - yellow plastic button	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
27	Switch - black plastic housing	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
28	Switch - black plastic base	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
29	Switch - black plastic button	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
30	Switch - grey plastic housing	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		--
		Br	ND			--
31	Switch - black plastic base	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		--
		Br	ND			--
32	Switch - black plastic socket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		PBBs: ND
		Br	792			PBDEs: ND
33	Switch - silvery metal pin	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		--
		Br	NA			--
34	LED - transparent molding part	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		PBBs: ND
		Br	1791			PBDEs: ND
35	LED - silvery metal pin	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		--
		Br	NA			--



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
36	Sensor - blackish grey molding part	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--	--	
		Br	ND		--	
37	Sensor - silvery metal pin	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--	--	
		Br	NA		--	
38	PCBA [The all tested components were excluded]	Cd	--		ND	
		Pb	--		8	
		Hg	--		ND	
		Cr	--	ND	PBBs: ND	
		Br	--		PBDEs: ND	
39	USB plug - golden metal frame	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--	--	
		Br	NA		--	
40	USB plug - white plastic socket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--	--	
		Br	ND		--	
41	USB plug - golden metal pin	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--	--	
		Br	NA		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
42	Black strain relief hood	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
43	Black core ring	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	711	ND		
		Br	ND		--	
44	Black fabric sheath	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	210	--		
		Br	292		--	
45	Black cable insulator	Cd	ND		--	
		Pb	1511		963	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
46	Black heat shrinkable tube	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
47	Transparent cable jacket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	352	--		
		Br	ND		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
48	Black cable jacket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	291	--		
		Br	ND		--	
49	Green cable jacket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	320	--		
		Br	ND		--	
50	White cable jacket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	129	--		
		Br	ND		--	
51	Red cable jacket	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	300	--		
		Br	ND		--	
52	Coppery metal wire	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	NA		--	
53	Black plastic ornament cover	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	



Test Conducted 測試內容 :

	Tested Component 測試部位	XRF screening X 射線螢光光譜法篩檢測試		Chemical testing 化學測試		
		Element 元素	Result (ppm) 結果(ppm)	Cr ⁶⁺ 六價鉻 (ppm)	Pb/Cd/Hg 鉛/鎘/汞 (ppm)	PBBs/PBDEs 多溴聯苯/多溴 聯苯醚 (ppm)
54	Orange plastic ornament cover	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	
55	Red plastic ornament cover	Cd	ND		--	
		Pb	ND		--	
		Hg	ND		--	
		Cr	ND	--		
		Br	ND		--	

- Remarks: ppm = Parts per million = mg/kg
備註 = 百萬分之一 = 毫克/公斤
- ND = Not detected and pass, the screened sample is found to be under detection limit of table II.
未檢測出且合格, 測試部位的結果低於表格 II 中的偵測極限
- NA = Not applicable
不適用
- = Not tested 未檢測
- PCB assembly was ground and randomly selected for test.
印刷電路板經粉碎及隨機均勻取樣後進行測試。



Test Conducted 測試內容 :

Responsibility of Chemist 分析人員 : PelnY Hsiao/ Vita Fu

Date Sample Received 樣品收件日期 : Aug 24, 2017 / Sep 01, 2017

Test Period 樣品測試期間 : Aug 24, 2017 to Aug 31, 2017 / Sep 01, 2017 to Sep 04, 2017

Table I: XRF screening limits in mg/kg for regulated elements in various materials.

表格 I: X 射線螢光光譜法在不同材質中對不同元素的篩檢極限(mg/kg)

Element 元素	Polymer Materials 聚合物材質	Metallic Materials 金屬材質	Composite Materials 複合性材質
鎘 (Cd)	BL ≤ 70 < X < 130 ≤ OL	BL ≤ 70 < X < 130 ≤ OL	BL ≤ 70 < X < 150 ≤ OL
鉛 (Pb)	BL ≤ 700 < X < 1300 ≤ OL	BL ≤ 700 < X < 1300 ≤ OL	BL ≤ 500 < X < 1500 ≤ OL
汞 (Hg)	BL ≤ 700 < X < 1300 ≤ OL	BL ≤ 700 < X < 1300 ≤ OL	BL ≤ 500 < X < 1500 ≤ OL
鉻 (Cr)	BL ≤ 700 < X	BL ≤ 700 < X	BL ≤ 500 < X
溴 (Br)	BL ≤ 300 < X	Not Applicable 不適用	BL ≤ 250 < X

Remarks: mg/kg = Milligram per kilogram = ppm

備註 百萬分之一 = 毫克/公斤

BL = Below Limit
低於極限

X = Inconclusive result
不確定的結果

OL = Over Limit
高於極限

Table II: Estimated detection limits in mg/kg for regulated elements in various matrices.

表格 II: 不同元素在不同材質中的偵測極限(/mg/kg)

Element 元素	Polymer Materials 聚合物材質	Metallic Materials 金屬材質	Composite Materials 複合性材質
鎘 (Cd)	50	70	70
鉛 (Pb)	100	200	200
汞 (Hg)	100	200	200
鉻 (Cr)	100	200	200
溴 (Br)	200	Not Applicable 不適用	200



Test Conducted 測試內容 :

Disclaimers:

聲明

The numerical test data of this XRF screening report is for reference purposes only due to the data variation incurred from various factors as described in next paragraph. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

此 XRF 篩檢報告僅作為參考之用，因測試結果會受到多種因素的影響，細節於下個段落中說明。
申請者應自行評估本報告中所提供的資訊是否符合其申請目的。

The results shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

X 射線螢光光譜法篩檢的結果會受到很多因素影響，包含但不限於樣品的大小,厚度,面積,表面平整度,設備參數,與基質效應(舉例:塑膠,橡膠,金屬,陶瓷等)，需要進一步的化學前處理及相對應的化學分析設備以得到定量的數據。

Chemical Test Method 化學測試方法

Test Item 測試項目	Test Method 測試方法	Reporting Limit 報告極限
Cadmium (Cd) Content 鎘含量	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	2 ppm
Lead (Pb) Content 鉛含量	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	2 ppm
Mercury (Hg) Content 汞含量	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD1:2017，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	2 ppm
Chromium VI (Cr ⁶⁺) Content 六價鉻含量 (for non-metal)	With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321:2008，以鹼液消化並用紫外光-可見光分光光度計分析。	1 ppm
Polybrominated Biphenyls (PBBs) 多溴聯苯	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015，以溶劑萃取並用氣相層析質譜儀分析，必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	5 ppm
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015，以溶劑萃取並用氣相層析質譜儀分析，必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	5 ppm

Remark : Reporting Limit = Quantitation limit of analyte in sample 測試樣品之定量偵測極限
備註



Test Conducted 測試內容 :






RoHS Limit RoHS 限值


Restricted Substances 限用物質	Limits 限值
Cadmium (Cd) content 鎘含量	0.01% (100ppm)
Lead (Pb) content 鉛含量	0.1% (1000ppm)
Mercury (Hg) content 汞含量	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content 六價鉻含量	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs) 多溴聯苯	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	0.1% (1000ppm)

The limits were quoted from Annex II of 2011/65/EU for homogeneous material.

本限值是依據歐盟指令 2011/65/EU 附錄二針對均質材質所訂定。







End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek-twn.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

